

BRIAN JAMES TRAILERS

Connected to you

A-max

Professional standard

Including Micro-max, Minno-max and Smart-max models



A-max trailers have been developing from ideas and principles directly traced back to the highly successful first Brian James car transporter trailer in 1979.

The latest designs remain true to the first established ethos of a low and stable chassis. New features transform functionality and ensure the operator's experience is always safe and easy.

Lightweight, with a low bed height and absolute stability remain the cornerstones of this popular and adaptable trailer series.



A-max

The ultimate car transporter trailer design.

Core features provide the fastest and safest ramp loading system yet devised. Its light weight, low centre of gravity combination is safe and stable, providing the well controlled towing experience that all Brian James Trailers customers have come to expect. To provide for the growth in size of many modern vehicles A-max trailers offer wide beds of up to 1.96m (6ft 5).

Standard equipment plus a comprehensive options list ensure you can create a specification to suit your needs. See overleaf for details of **options and accessories for A-max trailers**.

A-Max Product codes	Load bed length	Load bed width	Gross cap. Kg	Load cap. Kg	5 YEAR chassis warranty
120-1100	3.6m (12ft)	1.76m (5ft 9)	2,000	1,500	✓
120-1150	3.6m (12ft)	1.96m (6ft 5)	2,000	1,500	✓
120-2050	4.0m (13ft)	1.76m (5ft 9)	2,000	1,490	✓
120-2100	4.0m (13ft)	1.96m (6ft 5)	2,000	1,490	✓
120-2150	4.3m (14ft)	1.76m (5ft 9)	2,000	1,470	✓
120-2200	4.3m (14ft)	1.96m (6ft 5)	2,000	1,470	✓
120-3050	4.3m (14ft)	1.96m (6ft 5)	2,600	2,035	✓
120-2300	4.8m (16ft)	1.96m (6ft 5)	2,000	1,440	✓
120-3100	4.8m (16ft)	1.96m (6ft 5)	2,600	2,015	✓

Commercial Quality

Low loading

Easy loading

Modern Lighting system with full EEC type approval, including the latest reverse lamps + 13-pin plug, supplied with adapter to 7 pin

Purpose made High-impact polyethylene mudguards ensure that cars remain clean on your A-max

Safety grip pads give improved security to operator and vehicles alike

Wheel Chocks are an option to provide a known stop point during loading

Manual or Electric winch options are invaluable for loading stricken vehicles

Hot Dip Galvanised chassis and loading ramps. Ultimate durability

Easy Slide Ramps pull out from under the trailer bed in a few seconds. The specially developed Nylon runners ensure that the operation requires little effort. Dampers are employed to reduce noise levels when travelling. 1.9m ramps specified as standard on A-max models providing easy loading angles

Spare Wheel / tyre for reassurance

Trailer specific tyres offer the maximum load space with reduced overall width

Mefro wheels from Germany are the finest quality steel wheels. Featuring an electro-phosphate paint process for real durability

Safety grip pads on each ramp dramatically increase grip when loading vehicles in wet conditions

Flush fitting centre deck option infills the gap between the galvanised main chassis offering improved safety and protection. Includes a storage box

Rear corner protection for lamps and pedestrians with large diameter tubes

'Kick down' rear stands support the trailer while loading. Fast and easy action

Overall trailer dimensions:

OVERALL LENGTH = Load bed length + 1.37m (4ft 6)

OVERALL WIDTH Load bed width 1.76m 2.13m (7ft)

OVERALL WIDTH Load bed width 1.96m 2.30m (7ft 6)

BRIAN JAMES TRAILERS

All prices are subject to VAT and are ex-works.

Micro-max + special version Smart-max

Smart-max (170-0800) is the car trailer dedicated to original Smart Four Two, exactly the right size and layout.

The majority of the **Micro-max** range is designed for compact cars such as the Toyota IQ. All can be driven straight onto the trailer. As the chassis design is A-max derived, owners benefit from what is the fastest and safest ramp loading system on the market, making these little trailers entirely suitable for those who require ease of use, safety and security behind a motor home.

Smart-max (170-0800) is purpose designed for driving the Smart Car straight onto the bed for easy operation



Easy loading

Compact

Micro-max (150-range) is available in a number of sizes to provide the best choice possible for many different combinations



Overall trailer dimensions:

OVERALL LENGTH 2.5 3.80m (12ft 5)

OVERALL LENGTH 2.7 4.00m (13ft)


OVERALL LENGTH 3.0 4.34m (14ft 3)

OVERALL WIDTHs 1.71m = 2.05m, 1.76m = 2.13m, 1.96m = 2.30m

Minno-max

Minno-max suits compact and lightweight race or road cars. Overall dimensions of the Minno-max are based on the ability to enter an average car garage. Once inside, Minno-max can store your car onboard, safe and secure.

Minno-max models are part of the A-max range of trailers, all of the detailed features of A-max also feature on Minno-max.



Overall trailer dimensions:

OVERALL LENGTH 160-1050 4.62m (15ft 2)

OVERALL LENGTH 160-1060 5.22m (17ft 2)

OVERALL WIDTH 2.05m (6ft 9)

1.9m long loading ramps are specified for low ground clearance cars to load easily, without damage

Easy loading

Low loading

Compact

Micro-max Product code	Load bed length	Load bed width	Gross cap. Kg	Load cap. Kg	5 YEAR chassis warranty
170-0800	2.5m (8ft)	1.71m (5ft 7)	1,300	1,025	✓
150-0900	2.7m (9ft)	1.76m (5ft 9)	1,300	1,015	✓
150-1000	3.0m (10ft)	1.76m (5ft 9)	1,300	1,000	✓
150-1010	3.0m (10ft)	1.96m (6ft 5)	1,300	1,000	✓

Minno-max Product code	Load bed length	Load bed width	Gross cap. Kg	Load cap. Kg	5 YEAR chassis warranty
160-1050	3.4m (11ft 2)	1.71m (5ft 7)	1,600	1,200	✓
160-1060	4.0m (13ft)	1.71m (5ft 7)	1,600	1,200	✓

BRIAN JAMES TRAILERS

All prices are subject to VAT and are ex-works.

A-max options and accessories

Choose from an extensive range of popular options to create the trailer to suit your own needs. Each represents the results of years of experience and feedback from our customers.



Glide-out ramps - hi grip surface

Standard equipment loading ramps are 1.9m in length for good loading angles. 2.4m ramp option for ultra-low loading
£ please refer to price list



Heavy duty jockey wheel

Robust, high capacity jockey wheel features a tough wide tyre, a serrated anti-slip tube and locking handle
£ please refer to price list



Centre deck and storage tray

Flush fitting commercial vehicle quality, anti-slip decking with a recessed storage tray and locking lid, ideal for keeping tie-down straps secure
£ please refer to price list



Storage box (3 x 20ltr cans)

Ideal for transporting additional fuel supplies to and from race meetings. Conveniently sited to give good access and for safety
£ please refer to price list



Wheel STOP chocks (pair)

Quick release stop chocks can be set to optimise the load balance. Secured with quick action cotter pins attached with plastic coated cables
£ please refer to price list



Manual winch

Manual winch with choice of gears dependent on capacity. Cable roller guides for controlled operation
2 speed 1.5t cap
or, 2 speed braked 2.25t cap
£ please refer to price list



Integrated Lock

Quick, safe and convenient. As a primary defence against theft this new device is hard to better. Locks the trailer on and off the trailer using the security Ball (supplied loose)
£ please refer to price list

Tyre rack - high level

Tubular design full width tyre rack with strap securing and supplementary security cable with pad lock
£ please refer to price list



Brian James Trailers Ltd, Sopwith Way, Drayton Fields Ind Est, Daventry, Northamptonshire, NN11 8PB. UK

For information on your local BJT dealer in the UK please visit the web site and use the dealer locator system to assist you. Alternatively, we will always be pleased to provide all assistance possible when you call the sales team on the number below:

Tel. 01327 308833

Fax. 01327 308822

Web site: www.brianjames.co.uk

E-mail: info@brianjames.co.uk

BRIAN JAMES TRAILERS